

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
 "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.010 Buoyant Apparatus

CAL-JUNE CORPORATION PO BOX 9551 NORTH HOLLYWOOD CA 91609

160.010/0070/2	APPROVED	122cm x 122cm x 23cm (48" x 48" x 9") buoyant apparatus, 12-person	capacity, box type.
160.010/0071/2	APPROVED	157cm x 122cm x 23cm (62" x 48" x 9") buoyant apparatus, 18-person	capacity, box type.
160.010/0072/2	APPROVED	213cm x 122cm x 23cm (84" x 48" x 9") buoyant apparatus, 20-person	capacity, box type.
160.010/0073/2	APPROVED	130cm x 94cm x 23cm (51" x 37" x 9") buoyant apparatus, 10-person capacity,	rectangular type, Model B serie
160.010/0074/2	APPROVED	160cm x 94cm x 23cm (63" x 37" x 9") buoyant apparatus, 12-person capacity,	rectangular type, Model B serie
160.010/0075/2	APPROVED	163cm x 122cm x 32cm (64" x 48" x 12 1/2") buoyant apparatus, 18-person	capacity, rectangular type, Mod
160.010/0076/2	APPROVED	254cm x 122cm x 32cm (100" x 48" x 32") buoyant apparatus, 22-person	capacity, rectangular type, Mode
160.010/0077/2	APPROVED	130cm x 94cm x 23cm (51" x 37" x 9") buoyant apparatus, 8-person capacity,	rectangular type, Model C serie
160.010/0078/2	APPROVED	160cm x 94cm x 23cm (63" x 37" x 9") buoyant apparatus, 10-person capacity,	rectangular type, Model C serie
160.010/0079/2	APPROVED	163cm x 122cm x 32cm (64" x 48" x 12 1/2") Buoyant apparatus, 15-person	capacity, rectangular type, Mod
160.010/0080/2	APPROVED	254cm x 122cm x 32cm (100" x 48" x 12 1/2") buoyant apparatus, 22-person	capacity, rectangular type, Mod

DUNLOP-BEAUFORT CANADA LTD. 12351 BRIDGEPORT RD. BRITISH COLUMBIA RICHMOND CANADA

160.010/0081/0	APPROVED	45-person capacity inflatable buoyant apparatus packed in a rigid FRP	container.
160.010/0086/1	APPROVED	10-person capacity inflatable buoyant apparatus packed in a rigid FRP	container.
160.010/0087/1	APPROVED	25-person capacity inflatable buoyant apparatus packed in a rigid FRP	container.
160.010/0088/0	APPROVED	50-person capacity inflatable buoyant apparatus packed in a rigid FRP	container.
160.010/0115/0	APPROVED	100-person capacity inflatable buoyant apparatus, packed in a rigid FRP	container.
160.010/0121/0	APPROVED	4-person inflatable buoyant apparatus, packed in a suitcase-style rigid ABS	container.
160.010/0122/0	APPROVED	6-person inflatable buoyant apparatus, packed in a suitcase-style rigid ABS	container.
160.010/0123/0	APPROVED	8-person inflatable buoyant apparatus, packed in a suitcase-style rigid ABS	container.

INFLATABLE SURVIVAL SYSTEMS, INC. 1420 WOLF CREEK TRAIL P.O. BOX 359 SHARON CENTER OH

160.010/0113/0	APPROVED	50-person ELLIOT or CREWSAVER inflatable buoyant apparatus, packed in a	rigid FRP container.
160.010/0118/0	APPROVED	Four-person ELLIOT or CREWSAVER inflatable buoyant apparatus, packed in	either a low-profile FRP con
160.010/0119/0	APPROVED	Six-person ELLIOT or CREWSAVER inflatable buoyant apparatus, packed in	either a low-profile FRP cont
160.010/0120/0	APPROVED	Eight-person ELLIOT or CREWSAVER inflatable buoyant apparatus, packed in	either a low-profile FRP con

PLASTI-KRAFT CORPORATION OZONA INDUSTRIAL PARK OZONA FL 33560

160.010/0030/7	APPROVED	4.17' x 3.0' (8" x 8-1/2" body section), rectangular buoyant apparatus, 7 p	erson capacity.
160.010/0031/7	APPROVED	6.17' x 3.67' (10" x 9-1/4" body section), rectangular buoyant apparatus, 1	5 person capacity.

RESCUE RING, INC 227 NE BRUMBAUGH ILWACO WA 78624

160.010/0082/0	APPROVED	Model KRR-30 buoyant ring, 760 mm (30") o.d. x 425 mm (16-3/4") i.d. x 200	mm (8") thick, 3-person capacit
160.010/0083/0	APPROVED	Model KRR-26 buoyant ring, 2-person capacity 660 mm (26") o.d. x 200 mm	(8") i.d. x 200 mm (8") thick.
160.010/0085/1	APPROVED	Model KRR-30A buoyant ring 4-person capacity 760 mm (30") o.d. x 100 mm	(4") i.d. x 200 mm (8") thick.
160.010/0091/0	APPROVED	Model "Mini-26" buoyant ring, 660 mm (26") o.d. x 200 mm (8") i.d. x 125 mm	(5") thick), one person capacity,

REVERE SUPPLY CO. INC. 3 FAIRFIELD CRESCENT WEST CALDWELL NJ 07006

160.010/0101/0	APPROVED	Type "Ferryman 25", 25-person capacity inflatable buoyant apparatus,	packed in a rigid FRP container.
160.010/0102/0	APPROVED	Type "Ferryman 50", 50-person capacity inflatable buoyant apparatus, packed	in a rigid FRP container.
160.010/0105/0	APPROVED	Type "SHORESAVA" 4, 4-person capacity inflatable buoyant apparatus, packed	in either a rigid FRP containe

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.010/0106/0	APPROVED	RFD Type "SHORESAVA" 6, 6-person capacity inflatable buoyant apparatus,	packed in either a rigid FRP
160.010/0107/0	APPROVED	RFD Type "SHORESAVA" 8, 8-person capacity inflatable buoyant apparatus,	packed in either a rigid FRP
RFD LIMITED RFD HOUSE 11/13 OCKFORD ROAD GODALMING, SURREY UNITED KINGDOM			
160.010/0101/0	APPROVED	RFD Type "Ferryman 25", 25-person capacity inflatable buoyant apparatus,	packed in a rigid FRP container.
160.010/0102/0	APPROVED	RFD Type "Ferryman 50" 50-person capacity inflatable buoyant apparatus,	packed in a rigid FRP container.
160.010/0105/0	APPROVED	RFD Type "SHORESAVA" 4, 4-person capacity inflatable buoyant apparatus,	packed in either a rigid FRP
160.010/0106/0	APPROVED	RFD Type "SHORESAVA" 6, 6-person capacity inflatable buoyant apparatus,	packed in either a rigid FRP
160.010/0107/0	APPROVED	RFD Type "SHORESAVA" 8, 8-person capacity inflatable buoyant apparatus,	packed in either a rigid FRP
SEA SAVER 5076 BLUEBIRD TERRACE P O BOX 183 LECANTO FL 34461			
160.010/0124/0	APPROVED	Sea Saver buoyant apparatus, (2.60 m (101.5 in) x 1.87 m (73 in)),	6 persons capacity, foam-filled fibergl
SEACO/ELLIOT, INC. 3874 FISCAL COURT RIVIERA BEACH FL 33404			
160.010/0093/0	APPROVED	Inflatable buoyant apparatus, 8-person capacity.	
160.010/0094/0	APPROVED	Inflatable buoyant apparatus, 12-person capacity.	
160.010/0096/1	APPROVED	Inflatable buoyant apparatus, 50-person capacity.	
SWITLIK PARACHUTE CO., INC. 1325 EAST STATE ST. P. O. BOX 1328 TRENTON NJ 08607			
160.010/0100/0	APPROVED	Type IBA-6, six-person inflatable buoyant apparatus.	
160.010/0116/0	APPROVED	30-person inflatable buoyant apparatus, packed in a rigid round fiberglass	container.
160.010/0117/0	APPROVED	60-person inflatable buoyant apparatus with air-aspirated inflation system,	packed in a rigid round fiberglass co
VIKING LIFE-SAVING EQUIPMENT A/S P.O. BOX 3060 DK-6710 ESBJERG V DENMARK			
160.010/0084/0	APPROVED	Viking Type 45 RDV, 45-person capacity inflatable buoyant apparatus.	
160.010/0089/0	APPROVED	Viking Type 20 RDV, 20-person capacity inflatable buoyant apparatus.	
160.010/0092/0	APPROVED	Viking Type 50 RDV, 50-person capacity inflatable buoyant apparatus.	
160.010/0103/0	APPROVED	Viking type 6 RDV, 6-person capacity inflatable buoyant apparatus,	packed in either a rigid rectangular F
160.010/0104/0	APPROVED	Viking type 12 RDV, 12-person capacity inflatable buoyant apparatus, packed	in either a rigid cylindrical FRP c
WARDLE STOREYS PLC INFLATABLE SYSTEMS DIV. KINGSWAY, DUNMURRY BELFAST UNITED KINGDOM			
160.010/0101/0	APPROVED	"Elliot" or "Crewsaver" 25-person capacity inflatable buoyant apparatus,	packed in a rigid FRP container.
160.010/0102/0	APPROVED	"Elliot" or "Crewsaver" 50-person capacity inflatable buoyant apparatus,	packed in a rigid FRP container.
ZODIAC INTERNATIONAL DIVISION MARINE 58, BOULEVARD GALLIENI 92137 ISSY-LES-MOULINEAUX FRANCE			
160.010/0111/0	APPROVED	Zodiac Type "USCG IBA 30", 30-person inflatable buoyant apparatus, packed	in a rigid GRP container.
160.010/0112/0	APPROVED	Zodiac Type "USCG IBA 50", 50-person inflatable buoyant apparatus, packed	in a rigid GRP container.
160.010/0114/0	APPROVED	Zodiac Type "USCG IBA 4", 4-person inflatable buoyant apparatus, packed in	a rigid GRP container.
AMERICAN PAD AND TEXTILE CO GREENFIELD OH 45123			
160.010/0018/0	FORMER-MAY USE	5.17' x 2.67' (8" x 8" body section), solid balsa wood, 5-person capacity.	
160.010/0019/0	FORMER-MAY USE	7.0' x 3.17' (9" x 9" body section) solid balsa wood, 10-person capacity.	
ATLANTIC PACIFIC MFG CORP 200 MOUNT PLEASANT AVE NEWARK NJ 07104			
160.010/0001/0	FORMER-MAY USE	4' x 4' (8" x 12" body section), solid balsa wood, 10-person capacity.	
160.010/0002/0	FORMER-MAY USE	6' x 4' (10' x 12" body section), solid balsa wood, 20-person capacity.	

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.010/0004/0	FORMER-MAY USE	4' x 4' (8" x 16" body section), solid balsa wood, 12-person capacity.
160.010/0005/0	FORMER-MAY USE	3' x 3' (8" x 12" body section), solid balsa wood, 6-person capacity.
160.010/0006/0	FORMER-MAY USE	3' x 3' (10" x 12" body section), solid balsa wood, 8-person capacity.
160.010/0017/1	FORMER-MAY USE	5.0' x 2.5' (71/2" x 9" body section) solid balsa wood, 5-person capacity.
160.010/0020/0	FORMER-MAY USE	7.5' x 4.0' (11" x 11" body section), solid balsa wood, 20-person capacity.
160.010/0040/0	FORMER-MAY USE	3.17' x 3.17' x 0.67' wood decking with cellular foam glass core, 6-person capacity.
160.010/0041/0	FORMER-MAY USE	3.17' x 3.17' x 0.83' wood decking with cellular foam glass core, 8-person capacity.
160.010/0042/0	FORMER-MAY USE	4.67' x 3.17' x 0.83' wood decking with cellular foam glass core, 12-person capacity.
160.010/0043/0	FORMER-MAY USE	6.21' x 4.21' x 0.75' wood decking with cellular foam glass core, 20-person capacity.
160.010/0057/3	FORMER-MAY USE	3.75' x 3.0' x 0.79', FRP shell with unicellular polyurethane plastic core, 12 person capacity.
160.010/0061/0	FORMER-MAY USE	5.0' x 2.5' x (7 1/2" x 9" body section), FRP covered balsa wood, 5-person capacity.
160.010/0062/2	FORMER-MAY USE	5.0' x 2.67' (7-1/2" x 10" body section), FRP shell with unicellular polyurethane core, 8 person capacity.
160.010/0063/2	FORMER-MAY USE	7.5' x 4.0' (10" x 11 1/2" body section), FRP shell with unicellular polyurethane core, 20-person capacity.
160.010/0067/2	FORMER-MAY USE	7.5' x 4.0' (10" x 11-1/2" body section), FRP shell with unicellular polyurethane core, 20 person capacity.
160.010/0068/2	FORMER-MAY USE	5.0' x 2.67' (7 1/2" x 10" body section) FRP shell with unicellular polyurethane core, 5-person capacity.

C C GALBRAITH & SON, INC PO BOX 185 KEYPORT NJ 07735

160.010/0003/3	FORMER-MAY USE	6.0' x 4.0' x 0.67', pine decking with copper tanks, 18-person capacity.
160.010/0007/1	FORMER-MAY USE	2' x 4' x .67', pine decking with copper tanks, 11-person capacity.
160.010/0008/1	FORMER-MAY USE	4' x 4' x .67', pine decking with copper tanks, 20-person capacity.
160.010/0021/0	FORMER-MAY USE	6.0' x 4.0' x 0.75, pine decking with copper tanks, 20-person capacity.
160.010/0025/1	FORMER-MAY USE	6.0' x 4.0' x 0.83', wood decking with unicellular plastic foam core, 20-person capacity.
160.010/0026/1	FORMER-MAY USE	4.5' x 2.71' x 0.83', wood decking with unicellular plastic foam core, 12-person capacity.
160.010/0027/2	FORMER-MAY USE	3.0' x 2.71' x 0.83', wood decking with unicellular plastic foam core, 8-person capacity.

INFLATABLE SURVIVAL SYSTEMS, INC. 1420 WOLF CREEK TRAIL P.O. BOX 359 SHARON CENTER OH

160.010/0097/0	FORMER-MAY USE	Four-person "Crewsaver" inflatable buoyant apparatus, packed in either a rectangular fiberglass container or
160.010/0098/0	FORMER-MAY USE	Six-person "Crewsaver" inflatable buoyant apparatus, packed in either a rectangular fiberglass container or
160.010/0099/0	FORMER-MAY USE	Eight-person "Crewsaver" inflatable buoyant apparatus, packed in either a rectangular fiberglass container or

LUNN LAMINATES, INC HUNTINGTON STATION NY 11798

160.010/0051/0	FORMER-MAY USE	3.75' x 3.0' x 0.83', Type BP-12, FRP shell with unicellular plastic foam core, 12-person capacity.
160.010/0052/0	FORMER-MAY USE	4.75 x 3.0' x 0.83', Type BP-15, FRP shell with unicellular plastic foam core, 15-person capacity.

MODECRAFT CO, INC 300 WYCKOFF AVENUE BROOKLYN NY 11227

160.010/0015/0	FORMER-MAY USE	4' x 4' (10" x 12" body section), solid balsa wood, 20-person capacity.
160.010/0016/0	FORMER-MAY USE	5' x 2.5' (7 1/2" x 9" body section) solid balsa wood, 5-person capacity.

PLOTT MANUFACTURING INC. 1721 WHITE HORSE RD GREENVILLE SC 29605

160.010/0065/2	FORMER-MAY USE	4.17' x 3.0' (8" x 8" body section), fibrous glass rfcd. neoprene latex shell with unicellular plastic foam core, 7-
160.010/0066/2	FORMER-MAY USE	6.17' x 3.67' (10"x9 1/4" body sec.), fibrous glass rfcd. neoprene latex shell w/ unicellular plastic foam core, 1

PORTLAND INDUSTRIAL PLASTICS CO 5128 NORTH ALBINA AVENUE PORTLAND OR 97217

160.010/0036/2	FORMER-MAY USE	4.0' x 3.0' x 0.67', FRP shell with unicellular plastic foam core, 11 person capacity.
160.010/0049/1	FORMER-MAY USE	2.75' x 2.75' x 0.67, FRP shell with unicellular plastic foam core, 7 person capacity.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.010/0050/1	FORMER-MAY USE	4.0' x 4.0' x 0.75', FRP shell with unicellular plastic foam core, 16 perso	n capacity.
160.010/0058/1	FORMER-MAY USE	6.0' x 4.0' x 0.75', FRP shell with unicellular plastic foam core, 20 perso	n capacity.

RAFTGO HENDRY MANUFACTURING INC. 12A PAMARON WAY NOVATO CA 94947

160.010/0046/2	FORMER-MAY USE	3.25' x 3.0' x 0.71', FRP shell with unicellular plastic foam core, 10-pers	on capacity.
160.010/0047/2	FORMER-MAY USE	4.0' x 3.25' x 0.71', FRP shell with unicellular plastic foam core, 13-pers	on capacity.
160.010/0048/2	FORMER-MAY USE	6.0' x 4.0' x 0.71', FRP shell with unicellular plastic foam core, 20-perso	n capacity.
160.010/0055/1	FORMER-MAY USE	4.0' x 3.0' x 0.38', FRP shell with unicellular plastic foam core, 6-person	capacity.

SCHAT-MARINE SAFETY CORPORATION P. O. BOX 465 FOOT OF INDUSTRIAL RD. FARMINGDALE NJ 07727

160.010/0022/0	FORMER-MAY USE	6.25' x 3.92' x 0.67', fibrous glass shell with unicellular plastic foam co	re, 20-person capacity.
160.010/0028/1	FORMER-MAY USE	3.75' x 3.0' x 0.75', fibrous glass shell with unicellular plastic foam cor	e, 11-person capacity.
160.010/0029/1	FORMER-MAY USE	6.0' x 4.0' x 0.75', fibrous glass reinforced plastic shell with unicellula	r plastic foam core, 20-person capacity.

SEACO/ELLIOT, INC. 3874 FISCAL COURT RIVIERA BEACH FL 33404

160.010/0095/0	FORMER-MAY USE	Inflatable buoyant apparatus, 20-person capacity.
----------------	----------------	---

TAPATCO, INC PO BOX 49 FAIRFIELD CA 94533

160.010/0059/1	FORMER-MAY USE	4.17' x 3.0' (8" x 8" body section), FRP shell with unicellular plastic foa	m core, 7-person capacity.
160.010/0060/1	FORMER-MAY USE	6.17' x 3.67' (9" x 9" body section), FRP shell with unicellular plastic fo	am core 13-person capacity.

TREGONING INDUSTRIES, INC PO BOX 151 ALDERWOOD MANOR WA 98036

160.010/0011/0	FORMER-MAY USE	6' x 4.10' 1.54', spruce with copper tanks, 20-person capacity.
160.010/0012/0	FORMER-MAY USE	6' x 4' x .58', plywood, Type B, 20-person capacity.

WELIN BOAT AND DAVIT DIVISION LAKE SHORE, INC IRON MOUNTAIN MI 49801

160.010/0009/0	FORMER-MAY USE	Dwg. 1778, 15 persons capacity (spruce with copper tanks).	
160.010/0010/0	FORMER-MAY USE	5.92' x 4.08' x .83', spruce with copper air tanks, 20-person capacity.	
160.010/0013/2	FORMER-MAY USE	5.17' x 2.67' (7" dia. body section), elliptical shape, hollow aluminum, 5-	person capacity.
160.010/0014/1	FORMER-MAY USE	10' x 5' (11" dia. body section), elliptical shape, hollow aluminum, 24-per	son capacity.
160.010/0037/0	FORMER-MAY USE	6.0' x 2.83' (8 1/2" x 8 1/2" body section) Aluminum shell with unicellular	plastic foam core, 10-person capacit
160.010/0038/0	FORMER-MAY USE	7.5' x 4.0' (10 1/2" x 10 1/2" body section) Aluminum shell with unicellu	lar plastic foam core, 20-person capa
160.010/0039/0	FORMER-MAY USE	9.0' x 5.0' (10 1/2" x 10 1/2" body section) Aluminum shell with unicellula	r plastic foam core, 26-person capaci
160.010/0056/0	FORMER-MAY USE	9.75' x 6.25' (10 1/2" x 10 1/2" body section) Aluminum shell with unicellu	lar plastic foam core, 30-person cap